

University of Calcutta

87/1, College Street, Kolkata-700 073


CORRIGENDUM - 11


CANCELLED TENDER

Date: 29.11.2017

Tender Id: 2017_CU_134640_1 with reference to Tender No. - Eng CT -131-17-18 has been cancelled due to inadequate number of bidders & re-tender for 2nd call may be invited.

**Sd/-
University Engineer,
University of Calcutta**





Corrigendum - 10

Technical Bid Evaluation Summary

Date: 29-11-2017

Organisation Chain :	UNIVERSITY OF CALCUTTA
Tender ID :	2017_CU_134591_1
Tender Reference Number :	Eng/CT-129/17-18

The following documents are to be considered in the E-Tender portal
(<https://wbtenders.gov.in/nicgep/app>)

Accepted Technical Bidders:

1. FIBROCON (INDIA)

Rejected Technical Bidders:

1. HALDER ENTERPRISE (Due to miss-matching of Trade license)
2. M/S SANGAM ELECTRICAL & ELECTRONICS (Due to miss-matching of Trade license)

Sd/-
University Engineer,
University of Calcutta



UNIVERSITY OF CALCUTTA

Date : 28/11/2017

Corrigendum-9

As the number of eligible participants in the 2nd call of the tenders, vide :-
Tender Id **2017_CU_134993_1** & **2017_CU_134991_1** Tender number **Eng/CT-135/17-18 (Re-Tender)** & **Eng/CT-134/17-18(Re-Tender)**, are inadequate i.e. less than three, thus the tenders in (2nd Call) have been cancelled and the third call of the mentioned tenders will be invited afresh.

A handwritten signature in blue ink, dated 28/11/17.

University Engineer
University of Calcutta



UNIVERSITY OF CALCUTTA

Date : 28/11/2017

Corrigendum-8

As the number of eligible participants in the 2nd call of the tender, vide : -
Tender Id 2017_CU_134591_1 Tender number Eng/CT-129/17-18 (Re-Tender),
are inadequate, thus, this tender (2nd Call) has been cancelled and the third call for the same
tender will be invited afresh.


University Engineer
University of Calcutta