



UNIVERSITY OF CALCUTTA
OFFICE OF THE UNIVERSITY ENGINEER
87/1, College Street
Darbhanga Building, Ground Floor
Kolkata-700073
Website :-www.caluniv.ac.in

NOTICE INVITING TENDER (Corrigendum-01)

University of Calcutta invites **sealed** tender from resourceful and bonafide contractors for the following work

1.	N.I.T. No:	Eng /CT- 396 /19-20. Dated:12.12.2019
2.	Name of the work:	<u>RENOVATION OF THE DEPARTMENTAL LABORATORY (ROOM NO ES-108) OF ELECTRONIC SCIENCE DEPARTMENT AT RESEARCH SCHOLAR HOSTEL BUILDING OF RAJA BAZAR SCIENCE COLLEGE CAMPUS.</u>
3.	Estimated Cost put to Tender:	<u>RS.107743.69</u>
4.	Earnest Money:	A sum of Rs.5400.00 (Rupees five thousand four hundred only) in the form of CTS demand draft in favour of University of Calcutta payable at Kolkata is to be attached with the Tender as earnest money failing which the tender will be treated cancelled. The earnest money will be returned to unsuccessful tenders on application after issuing of work order to the successful bidder. In case of successful tender the EMD will be returned on application after an equal amount of security deposit is deducted by the University from the running bills. EMD is exempted for those bidders who are registered with NSIC or any Government organization- to safeguard against a bidder withdrawing/altering his bid during the bid validity period.
5.	Time of completion:	30 days
6.	Eligibility Criteria	Valid trade License , GST & Pan and credential for satisfactory completion of similar nature of job. Amounting 75 % of the estimated value in a single tender in the last three financial year . Government, Government Undertaking and University of Calcutta credentials are accepted.(only completion certificate of the work should be treated as Credential.
7.	Last date of receipt of application for tender	NA
8.	Last date of Sale/ issue of tender papers	TO BE DOWNLOADED FROM WEBSITE.(www. caluniv.ac.in)
9.	Last Date and Time of tender Submission	20.12.2019(up to 2.00 PM)
10.	Date and Time of Tender Opening	On or after 3:00 PM of 20.12.2019

N.I.T no :Name of work and the date of opening should be written on the sealed envelope otherwise tender will not be opened thus cancelled.

The undersigned reserves the right to reject any or all Tenders without assigning any reason what so ever.

UNIVERSITY ENGINEER (C.U)



UNIVERSITY OF CALCUTTA

Name of the work:- RENOVATION OF THE DEPARTMENTAL LABORATORY (ROOM NO ES-108) OF ELECTRONIC SCIENCE DEPARTMENT AT RESEARCH SCHOLAR HOSTEL BUILDING OF RAJA BAZAR SCIENCE COLLEGE CAMPUS.

N. I.T. no- Eng /CT- 396 /19-20. Dated: 12.12.2019

Estimated cost Put to Tender:- RS. 107743.69

Name of Agency:-

Address of Agency:-

Rate quoted by Agency:- (%)
Percent Above / At par / Below

Signature of the Agency with date & stamp:-



UNIVERSITY OF CALCUTTA

N. I.T. NO : Eng /CT- 396 /19-20. Dated:20.12.2019

TENDER AND CONTRACT FOR WORK

GENERAL TERMS AND DIRECTION FOR THE GUIDANCE OF CONTRACT

- 1. Eligible Tenders will have to download the tender papers from the website & drop the filled tender papers signed with seal and date at every page along with copy of Valid Trade license's, GST & PAN and Credential for satisfactory completion of similar nature of job amounting to at least seventy five percent of the job value in a single tender from any Government, Govt. undertaking or University of Calcutta in the last three financial year in sealed envelope in the Tender box kept in the Office of the undersigned with in the specified time mentioned in the NIT which will be opened by the undersigned or by his representative with in the specified time and date mentioned in the NIT The tendered must write the name of the work , NIT no , the date of opening and name of the bidder on the envelop failing which the tender will not be opened thus will be treated as cancelled.**
- 2. The rate should be quoted after inspection of the site and inclusive of all incidental charges i.e. freight, insurances, labour insurances, handling charges, necessary government taxes, duties etc as well as the Water, Electricity charges which are to be paid as per rules .**
- 3. The contractor shall be responsible to ensure compliance with the provision of minimum wages act 1948 as modified up to date and the rules made in respect of any employees, employed by the contractor directly or through the petty or subcontractor for the purpose of carrying this contract. The contractor shall be responsible for any damage, injury or loss caused by the work or workmen to any person, animal or material during the progress of work.**
- 4. Liquidated damage will be charged to the contractor if they fail to complete the work within the stipulated time, 0.01% per day to a maximum limit of 05 % of the contract value .**



5. The allotted time for completion of the work as specified in the NIT from the date of receipt of work order .Time is the essence of this contract. Normally no time extension will be granted. In case of prayer for extension of time the University authority has the full right reserved to grant it or discard it.

6. (a) If the successful contractor's bid rate is 80% or less than the estimated amount put to tender the contractor will have to submit a Bank Guarantee amounting to 10% of the Tendered amount before issue of Work order failing which the EMD will be forfeited and the agency may be blacklisted. The Bank Guarantee should be valid till the end of the contract period and shall be renewed accordingly if required. This bank Guarantee is an Additional Performance Security .So provision of deducting Security deposit from bills will hold goods per relevant clause of the contract. The bank Gurrantee shall be returned immediately on successful completion of contract.

(b) The University authority will retain a sum amounting to 10% of the bill of the contract for a period of six months from the date of completion of work as **Security Deposit**. Which will be released after a period of six months from the date of completion of the work on application.

7. A sum of 5% of the estimated amount i.e. **as mentioned in the NIT** in the form of demand draft in favour of UNIVERSITY OF CALCUTTA payable at Kolkata is to be attached with the tender as earnest money failing which the tender will be treated cancelled. The earnest money will be returned to unsuccessful tenderers on application after issue of work order to the successful bidder for successful tenderer the EMD will be returned on application after an equal amount of security deposit is deducted from the running bills.

Amount:-Rs

D.D No..... Dated / /20

Name of Issuing Bank:--

Branch :-

8. Work is to be carried out as per specification laid in the B.O.Q or PWD specification as per instruction of the University Engineer or his representative.



9. The materials brought to site for execution of the work should by no means be taken out of site without the permission of the Engineer C.U.
10. The rates must be quoted in words in figure otherwise the tender will be cancelled.
11. The University will not be bound to accept the lowest bidder.
12. The University will not supply any materials to the contractor.
13. The contractor will work under the strict supervision of the Engineer/ Sub-Assistant Engineer. The estimate given along with the tender are provisional payment will be made on the actual work done jointly measured by the Engineer or his representative (Sub-Assistant- Engineer) & the contractor or his representative. The contractor will have to submit bill in printed format in duplicate.
14. The contractor will have to take necessary instruction from the Engineer CU/ Sub-Assistant Engineer regarding the execution of work.
15. Defect& liability Period:-The defect & liability period will be for a period of six months from the date of completion of the job. Any defects pointed out during this period has to be mend good by the agency at their own cost failing which the retention money will be forfeited.

Sd/-

University Engineer

Name of the Agency:

Address :-

Signature of the Agency with date & stamp:-

SPECIFIC PRICE SCHEDULE FOR RENOVATION OF THE DEPARTMENTAL LABORATORY (ROOM NO ES-108) OF ELECTRONIC SCIENCE DEPARTMENT AT RESEARCH SCHOLAR HOSTEL BUILDING OF RAJA BAZAR SCIENCE COLLEGE CAMPUS.

SL.NO.	DESCRIPTION OF ITEM.	UNIT.	QUANTITY.	RATE.		AMOUNT.	
				RS.	P.	RS.	P.
1. (Page303 Item5).	Labour charge for shifting furniture and necessary accessories and resetting the same after finish the job	Nos.	10.00	245.00		2450.00	
2. (page11 Item10).	Stripping off worn out plaster and raking out joints of walls, ceilings etc. Up to any height and in any floor including removing rubbish within a lead of 75m as directed.	Sqm.	10.00	19.00		190.00	
3. (page11 Item6).	Dismantling artificial stone flooring up to 50 mm. thick by carefully chiselling without damaging the base and removing rubbish as directed within a lead of 75 m. a) In ground floor including roof.	Sqm.	25.00	50.00		1250.00	
4.	Ordinary Cement concrete (mix 1:2:4) with graded stone chips (20 mm nominal size) excluding shuttering and reinforcement, if any, in ground floor	cum	1.00	3886.00		3886.00	
5. (page189 Item1).	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor).[Excluding cost of chipping over concrete surface] With 1:6 cement mortar 25 mm thick plaster	Sqm.	10.00	195.00		1950.00	
6. (page204 Item5b).	Rendering the surface of walls and ceiling with white cement based wall putty of approved make and brand(1.5mm thick).	Sqm.	50.00	110.00		5500.00	
7. (page66 Item36).	Supplying and laying true to line and level vitrified tiles of approved brand (size not less than 600 mm X 600 mm X 10 mm thick) in floor, skirting etc. set in 20 mm sand cement mortar (1:4)						

	<p>and 2 mm thick cement slurry back side of tiles using cement @ 2.91Kg./sqM or using polymerised adhesive (6 mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course) laid after application slurry using 1.75 Kg of cement per sqM below mortar only, joints grouted with admixture of white cement and colouring pigment to match with colour of tiles / epoxy grout materials of approved make as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete true to the manufacturer's specification and direction of Engineer-in-Charge.</p>	Sqm.	35.00	1366.00	47810.00
8. (page124 Item12).	<p>Supplying solid flush type doors of deluxe decorative (both side) quality, conforming to I:S 2202 timber frame consisting of top and bottom rail and side styles of well seasoned timber 65mm wide each and the entire frame fitted with 27.5mm wide battens places both ways in order to made the door of solid core and internal lipping with teak, mahogany or rose wood approved decorative veneers using phenol formaldehyde as glue etc. complete, including fitting, fixing the shutters in position but excluding the cost of hinges and other fittings in ground floor: 35mm thick shutters (single leaf).</p>	Sqm.	1.75	3955.00	6921.25
9. (page233 Item1).	<p>Supplying profiles of required section made of Aluminium Alloy Extrusions conforming to IS: 732-1983 and IS: 1285- 1975; Anodized (with required film thickness and specified colour / natural) matt finished conforming</p>				

	<p>to IS: 1868-1983 for fabrication of composit door, sliding & casement windows, partitions, formed of basic sections of any ISI embossed / certified make and brand as per direction of Engineer - InCharge. (Payment will be made on finished length of the work)</p> <p>2- track sliding window Bottom frame Top and side frame.</p> <p>Shutter for all track sliding window.</p> <p>Top and bottom member style side member. Inter lock member.</p>	Rmt.	3.00	218.00	654.00
		Rmt.	8.00	195.00	1560.00
		Rmt.	5.00	117.00	585.00
		Rmt.	5.00	119.00	595.00
		Rmt.	5.00	148.00	740.00
10. (page239 Item2).	<p>Labour charge for fabrication and installation of composite door, window, partitions made from annodized extruded alloy aluminium sections for the following units:- (A) Glazed aluminium sliding windows made of extruded and annodized alloy aluminium sectios, fabrications, including cutting to proper shape and size, drilling and aligning of window shutter frame fitted with in built locking arrangements, sliding rollers and other necessary fittings, fixture, adhesives and joineries along with extruded neoprine or EPDM gasketing in between window frame and masonry work (walls, column, beam.lintels etc.) as well as between glass and shutter frame for fixing glass and Polysulphide sealant and in between shutter and window frame where necessary including cutting to requisite size and fixing glass as per drawing, specification and direction of EIC. The rate includes the hire charge of all tools and plants, including all incidental charges, adhesive, joineries such as screw, cleat</p>				

	angle etc. but excluding the cost of extruded aluminium sections, glass, neoprene / EPDM gasket, locking arrangement and roller 2 Track sliding window.	Sqm.	5.00	696.00	3480.00
11. (page243 Item9).	Supplying bubble free float glass of approved make and brand conforming to IS: 2835-1987 4mm thick coloured / tinted / smoke glass.	Sqm.	5.00	468.00	2340.00
12. (page202 Item1).	Copal varnish of approved quality including preparing surface : On old varnish surface including removing old varnish and exposing original surface. Table,chair, bench etc.	Sqm.	20.00	252.00	5040.00
13. (page195 Item7	Applying Interior grade Acrylic Primer of approved quality and brand on plastered or concrete surface old or new surface to receive Distemper/ Acrylic emulsion paint including scraping and preparing the surface thoroughly, complete as per manufacturer's specification and as per direction of the EIC. (In Ground Floor)	Sqm.	80.00	33.70	2696.00
14. (page201 Item4).	Applying Acrylic Emulsion Paint of approved make and brand on walls and ceiling including sand papering in intermediate coats including putty (to be done under specific instruction of Superintending Engineer) :	Sqm.	80.00	70.00	5600.00
15. (page200 Item1b).	Priming one coat on timber or plastered surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering.	Sqm.	10.00	38.00	380.00
16. (page200 Item 2).	Painting with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface.	Sqm.	10.00	79.00	790.00
17. (page12 Item13).	Removal of rubbish,earth etc. from the working site and disposal of the same beyond the compound, in conformity with the Municipal / Corporation Rules				

	for such disposal, loading into truck and cleaning the site in all respect as per direction of Engineer in charge.	Cum.	5.00	166.00	830.00
--	--	------	------	--------	--------

TOTAL-----RS.95247.25

G.S.T @12%-----RS.11429.67

LABOUR CESS @ 1%-----RS.1066.77

ESTIMATED COST-----RS.107743.69

Name of the Agency

Address of the Agency

Rate quoted by the Agency

Signature of the Agency with date