

### **UNIVERSITY OF CALCUTTA**

OFFICE OF THE UNIVERSITY ENGINEER 87/1, College Street Darbhanga Building, Ground Floor Kolkata-700073

Website :-www.caluniv.ac.in

## **NOTICE INVITING QUOTATION**

Univ	versity of Calcutta invito	es sealed tender from resourceful and bonafide contractors for the following work
1.	N.I.Q. No:	Eng /CT-80/21-22 Dated:27/09/2021
2.	Name of the work:	Painting & repairing of 1St floor the corridor and repairing of the floor of Harding Building under , University of Calcutta
3.	Estimated Cost put to Tender:	202746.50 /- (Excluding G.S.T) GST to be paid extra as applicable
4.	Earnest Money:	A sum of 5% of the estimated/quoted amount in the form of CTS demand draft in favour of University of Calcutta payable at Kolkata is to be attached with the Tender as earnest money failing which the tender will be treated cancelled. The earnest money will be returned to unsuccessful tenders on application after issuing of work order to the successful bidder. In case of successful tender the EMD will be returned on application after an equal amount of security deposit is ducted by the University from the running bills. EMD is not exempted in any case.
5.	Time of completion:	30DAYS
6.	Eligibility Criteria and Documents to be submitted along with Application.	Valid trade License, GST & PAN and credential for satisfactory completion of similar nature of job amounting75 % of the estimated value in a single tender in the last three financial years in Government /Government Undertaking or University of Calcutta.Original documents may be asked for verification of technical checking on the date of issuing tender paper. Failing to produce original documents, the tender will be rejected.  The participant bidder must submit the following documents in sealed envelope in the tender box kept at the Office of the Engineer at the Ground Floor of the Darbhanga Building, University of Calcutta, 87/1, College Street, Kolkata – 700073 within the last date of submission of the tender.  1. NIT documents duly filled and signed by the intending bidder.  2. Bank Draft for EMD in favour of the University of Calcutta.  3. Self-attested copy of Valid trade License, GST & Pan and credentials for satisfactory completion of similar nature of jobs under Government, Government Undertaking and Universities etc. within last three years.  4. Application through postal service or courier service is not accepted.
7.	Date of receipt of application for tender	On 30.09.2021 from 11 am to 4 pm (Must contain above mentioned. Documents. The application duly signed by Engineer CU should be enclosed with tender documents
8.	Date of issue of tender papers	TO BE DOWNLOADED FROM WEBSITE. (www. caluniv.ac.in)
9.	Date and Time of tender Submission	Dully filled and signed tender/quotation to be submitted on 04 / 10/ 2021 from 11am to 2.00 PM in to the Tender Box kept in the Office of the University Engineer
10.	Date and Time of Tender Opening	At or after 3pm 04/10/2021 at the Office of the University Engineer. Intending bidders are requested to be present at the time of opening tenders/quotations.

N.I.T no :Name of work and the date of opening should be written on the sealed envelope otherwise tender will not be opened and will be rejected.

 $\label{thm:conditional} \mbox{The undersigned reserves the right to reject any or all Tenders without assigning any reason what so ever. }$ 





# UNIVERSITY OF CALCUTTA

Name of the work: - Painting & repairing of 1St floor the corridor and repairing of the floor of Harding Building under , University of Calcutta

	<b>N.</b> 1	.Q. no- : Eng /CT-80/21-	22 Dated:27/09/2021	
Estimated cost	Put to Tender:- 202746.50	/- (Excluding G.S.T) GST to be	e paid extra as applicable	
Na	ame of Agency:-			
Ac	ldress of Agency:-			
	ate quoted by Agency:- ad words)			(in figure
Si	gnature of the Agency v	vith date & stamp:-		



# UNIVERSITY OF CALCUTTA

N. I.Q. no : Eng /CT-80/21-22 Dated:27/09/2021

#### **Item Rate contract**

### **GENERAL TERMS AND CONDITION**

- 1. Eligible Tenders will have to download the tender papers from the website & drop the filled tender papers signed with seal and date at every page along with copy of Valid Trade license's, GST & PAN and Credential for satisfactory completion of similar nature of job amounting to at least seventy five percent of the job value in a single tender from any Government, Govt. undertaking or University of Calcutta in the last three financial year in sealed envelope in the Tender box kept in the Office of the undersigned with in the specified time mentioned in the NIT which will be opened by the undersigned or by his representative with in <a href="tendered">the specified time and date mentioned in the NIT</a> The tendered must write the name of the work, NIT no, the date of opening and name of the bidder on the envelop failing which the tender will not be opened thus will be treated as cancelled.
- **2.** The rate should be quoted after inspection of the site and inclusive of all incidental charges i.e. freight, insurances, labour insurances, handling charges, necessary government taxes, duties etc as well as the Water, Electricity charges which are to be paid as per rules .
- **3**. The contractor shall be responsible to ensure compliance with the provision of minimum wages act 1948 as modified up to date and the rules made in respect of any employees, employed by the contractor directly or through the petty or subcontractor for the purpose of carrying this contract. The contractor shall be responsible for any damage, injury or loss caused by the work or workmen to any person, animal or material during the progress of work.
- **4.** Liquidated damage will be charged to the contractor if they fail to complete the work within the stipulated time, 0.01% per day to a maxi mumli mit of 10% of the contract value.



- **5.** The allotted time for completion of the work as specified in the NIT from the date of receipt of work order .Time is the essence of this contract. Normally no time extension will be granted. In case of prayer for extension of time the University authority has the full right reserved to grant it or discard it.
- **6.** (a)If the successful contractor's bid rate is 80% or less than the estimated amount put to tender the contractor will have to submit a Bank Guarantee amounting to 10% of the Tendered amount before issue of Work order failing which the EMD will be forfeited and the agency may be blacklisted. The Bank Guarantee should be valid till the end of the contract period and shall be renewed accordingly if required. This bank Guarantee is an Additional Performance Security .So provision of deducting Security deposit from bills will hold goods per relevant clause of the contract. The bank Gurrantee shall be returned immediately on successful completion of contract.
- (b) The University authority will retain a sum amounting to 10% of the bill of the contract for a period of six months from the date of completion of work as **Security Deposit**. Which will be released after a period of six months from the date of completion of the work on application.
- 7. A sum of 5% of the quoted amount in the form of CTS demand draft in favour of University of Calcutta payable at Kolkata is to be attached with the Tender as earnest money failing which the tender will be treated cancelled. The earnest money will be returned to unsuccessful tenders on application after issuing of work order to the successful bidder. In case of successful tender the EMD will be returned on application after an equal amount of security deposit is ducted by the University from the running bills. EMD is not exempted in any case. The earnest money will be returned to unsuccessful tenderers on application after issue of work order to the successful bidder for successful tenderer the EMD will be returned on application after an equal amount of security deposit is deducted from the running bills.

Amount:-Rs			
D.D No	Dated	/	/20
Name of Issuing Bank:			
Branch :-			

**8.** Work is to be carried out as per specification laid in the B.O.Q or PWD specification as per instruction of the University Engineer or his representative.



- **9.** The materials brought to site for execution of the work should by no means be taken out of site without the permission of the Engineer C.U.
- **10.** The rates must be quoted in words in figure otherwise the tender will be cancelled.
- **11.** The University will not be bound to accept the lowest bidder.
- **12**. The University will not supply any materials to the contractor.
- **13**. The contractor will work under the strict supervision of the Engineer/ Sub-Assistant Engineer. The estimate given along with the tender are provisional payment will be made on the actual work done jointly measured by the Engineer or his representative (Sub-Assistant- Engineer) & the contractor or his representative. The contractor will have to submit bill in printed format in duplicate.
- **14.** The contractor will have to take necessary instruction from the Engineer CU/ Sub-Assistant Engineer regarding the execution of work.
- 15. Defect & liability Period: The defect & liability period will be for a period of six months from the date of completion of the job. Any defects pointed out during this period has to be mend good by the agency at their own cost failing which the retention money will be for feited.

Sd/-

University Engineer(C.U)

Name of the Agency:

Address:-

Signature of the Agency with date & stamp:-

N. I.Q. no : Eng /CT-80/21-22 Dated:27/09/2021

Specific price schedule for Painting & repairing of 1St floor the corridor and repairing of the floor of Harding Building under . University of Calcutta

Building under , Un	iversity of Ca	licutta		
Description Of Work	Unit	Rate	Quantity	Amount
Stripping off worn out plaster and raking out joints of walls, celings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed	Sq.M	19	100	1900
Removal of rubbish,earth etc. from the working	Cu.M.	166	2	332
site and disposal of the same beyond the compound, in conformity with the Municipal / Corporation Rules for such disposal, loading into truck and cleaning the site in all respect as per direction of Engineer in charge				
Dismantling artificial stone flooring upto 50 mm. thick by carefully chiselling without damaging the base and removing rubbish as directed within a lead of 75 m.				
a) In first floor including roof.	Sqm	56.00	30.00	1680.00
Applying 2 coats of bonding agent with synthetic multi functional rubber emulsion having adhesive and water proofing properties by mixing with water in proportion (1 bonding agent : 4 water : 6 cement) as per Manufacturer's specification [Cement to be supplied by the Department]	Sq. M	88	100	8800
	Stripping off worn out plaster and raking out joints of walls, celings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed  Removal of rubbish,earth etc. from the working site and disposal of the same beyond the compound, in conformity with the Municipal / Corporation Rules for such disposal, loading into truck and cleaning the site in all respect as per direction of Engineer in charge  Dismantling artificial stone flooring upto 50 mm. thick by carefully chiselling without damaging the base and removing rubbish as directed within a lead of 75 m.  a) In first floor including roof.  Applying 2 coats of bonding agent with synthetic multi functional rubber emulsion having adhesive and water proofing properties by mixing with water in proportion (1 bonding agent : 4 water : 6 cement) as per Manufacturer's specification [Cement to be supplied by the	Stripping off worn out plaster and raking out joints of walls, celings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed  Removal of rubbish,earth etc. from the working site and disposal of the same beyond the compound, in conformity with the Municipal / Corporation Rules for such disposal, loading into truck and cleaning the site in all respect as per direction of Engineer in charge  Dismantling artificial stone flooring upto 50 mm. thick by carefully chiselling without damaging the base and removing rubbish as directed within a lead of 75 m.  Dismantling artificial stone flooring upto 50 mm. thick by carefully chiselling without damaging the base and removing rubbish as directed within a lead of 75 m.  Sqm  Applying 2 coats of bonding agent with synthetic multi functional rubber emulsion having adhesive and water proofing properties by mixing with water in proportion (1 bonding agent : 4 water : 6 cement) as per Manufacturer's specification [Cement to be supplied by the	Stripping off worn out plaster and raking out joints of walls, celings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed	Stripping off worn out plaster and raking out joints of walls, celings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed   Sq.M   19   100

4	Plaster (to wall, floor, ceiling etc.) with sand and cement mortarincluding rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor).[Excluding cost of chipping over concrete surface]				
	(i) With 1:6 cement mortar (b) 20 mm thick plaster		175.00	100.00	17500.00
5	Rendering the Surface of walls and ceiling with White Cement base WATER PROOF wall putty of approved make & brand.(1.5 mm thick)				
	ground floor including roof	SqM	122	100.00	12200
6	Supplying best Indian sheet glass panes set in putty and fitted and fixed with nails and putty complete. (In all floors for internal wall & upto 6 m height for external wall)				
	(i) 3 mm thick (weighing 7.4 kg/Sq.m)	Sq.M	477		0
7	Removing loose scales, blisters etc. from old painted surface andthoroughly smoothening the surface to make the same suitable for receiving	SqM	21	850.00	17850
	fresh coat of paint.				
8	Applying Exterior grade Acrylic primer of approved quality and brand on plastered or cencrete surface old or new surface to receive decorative textured (matt finish) or smooth finish acrylic exterior emulsion paint including scraping and preparing the surface throughly, complete as per manufacturer's specification and as per direction of the EIC.				
	In Ground Floor:				
	(b) Two Coats	Sq.M	45.1	560	25256

9	Protective and Decorative Acrylic exterior emulsion paint of approved quality, as per manufacturer's specification and as per direction of Engineer-in-Charge to be applied over acrylic primer as required. The rate includes cost of material, labour, scaffolding and all incidental charges but excluding the cost of primerIn Ground floor (Two Coat).a) Normal Acrylic Emulsion	Sq.M			0
	(iii) Two coats.	Sq.M	67	560	37520
10	a) Priming one coat on steel or other metal surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering etc.	Sq.M	29	50	1450.00
	50				
	(b) Priming one coat on timber or plastered surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering etc.	Sq.M	38	540	20520
11	(A) Painting with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface, if necessary:				
	(a) On timber or plastered surface :With super gloss (hi-gloss) -Two coats (with any shade except white)	SqM	81	540	43740.00
$\vdash \vdash$					
	(b) On steel or other metal surface: With super gloss (hi-gloss) -iv) Two coats (with any shade except white)	SqM	79	50	3950.00

12	Artificial stone in floor, dado, staircase etc with				
	cement				
	concrete (1:2:4) with stone chips, laid in panels as				
	directed				
	with topping made with ordinary or white				
	cement (as				
	necessary) and marble dust in proportion (1:2)				
	including				
	smooth finishing and rounding off corners				
	including raking				
	out joints or roughening of concrete surface and				
	application				
	of cement slurry before flooring works using				
	cement @ 1.75				
	kg/sq.m all complete including all materials and labour.				
	In Firstfloor.				
	3 mm. thick topping (High polishing grinding on				
	this item is				
	not permitted with ordinary cement).				
	Using grey cement				
	(iii) 35 mm. thick	Sqm	334.95	30.00	10048.50
	Total Tentative Basic Cost excluding all taxes				202746.50

Name	of the	Agency:
------	--------	---------

Address of the Agency:

Amount quoted by the Agency in words and figure:

Signature of the Agency with date and stamp